
www.smartie.in

Gate Hardware Catalogue

2025 – 26

Sliding · Cantilever · Swing · Telescopic · Hanging Door








SMART INDIA ENTERPRISES
www.smartie.in
808080 7220 / 766630 7880

Contents



01 **Sliding Gate Wheels & Tracks** 3–6



02 **Rotational & Self-Balancing Wheels** 7–8



03 **Gate Hinges** 9–12



04 **Guide Rollers, End Stops & Gate Stoppers** 13–16



05 **Cantilever Gate System & Gear Racks** 17–20



06 **Sliding & Hanging Door Hardware** 21–25



07 **Gate Hardware Kits** 26–27

Model Number Index 28

How to read this catalogue

Each product shows a photo, a dimension drawing and a specification table.

The letters in the table (A, B, C, D, H, L …) match the letters on the drawing beside it. Where a letter's meaning is certain, it is written under the letter.

All dimensions are in millimetres. Weight is in grams (g) or grams per metre (g/m); load is in kg where marked.


Weights are approximate. Specifications may change without notice — please confirm critical dimensions before ordering.

For prices and availability, contact us on **808080 7220 / 766630 7880** or visit **www.smartie.in**.

Sliding Gate Wheel with Double Plates

U Groove · Single & Double Bearing





DIMENSION DRAWING

SINGLE BEARING

Model	D Wheel dia.	A	C	H	d Rod size	Weight g	Load kg
SIE1U60	58	17	28	7	16.5	330	150–200
SIE1U70	68	20	27	11	16.5	477	200–250
SIE1U80	78	20	27	16	16.5	633	250–300


DOUBLE BEARING

Model	D Wheel dia.	A	C	H	d Rod size	Weight g	Load kg
SIE2U60	58	25	39	7	20.5	382.9	200–250
SIE2U70	68	25	37	11	20.5	537	300–350
SIE2U80	78	25	37	16	20.5	737	350–400
SIE2U90	88	25	38	12	20.5	1001	400–450
SIE2U100	98	25	34	17	20.5	1339	450–500

Sliding Gate Wheel with Double Plates

Double Bearings · V Groove






DIMENSION DRAWING

Model	D Wheel dia.	A	C	H	L	Load kg
SIE2V80	78	25	37	16	78	300

Sliding Gate Wheel with Exterior Bracket

Double Bearings · U Groove







DIMENSION DRAWING

Model	D Wheel dia.	A	C	H	d Rod size	Load
SIE2U40	38	22	29	44	20.5	100
SIE2U50	48	22	30	59	20.5	100
SIE2U60	58	26	38	66	20.5	100
SIE2U80R10	78	25	34	80	20.5	845
SIE2U80R10SS	78	25	34	80	20.5	845

Stainless Steel Sliding Gate Wheel with Double Plates

Double Bearings · U Groove






DIMENSION DRAWING

Model	D Wheel dia.	A	C	H	d Rod size	Load kg
SIE2U80SS	78	25	37	16	20.5	300
SIE2U90SS	88	25	38	12	20.5	400
SIES2U100	98	25	38	17	20.5	450

Stainless Steel Sliding Gate Wheel with Double Plates

Double Bearings · U Groove · R10 Series






DIMENSION DRAWING

Model	D Wheel dia.	A	C	H	d Rod size	Weight g
SIE2U80 R10	88	25	34	20	20.5	1071
SIE2U80 R10SS	88	25	34	20	20.5	1071
SIE2U90 R10SS	88	25	34	20	20.5	1071
SIE2U100R10SS	98	25	34	25	20.5	1359

Stainless Steel Sliding Gate Wheel with Double Plates

Double Bearings · U Groove






DIMENSION DRAWING

Model	D Wheel dia.	A	C	H	d Rod size	Weight g
SIED1U80R10SSPA	78	25	34	20	20.5	1071

Sliding Gate Nylon Wheel with SS Clamp

U Groove




DIMENSION DRAWING

Model	D Wheel dia.	A	C	H	d Rod size	Weight g	Load kg
SIES1U80R8SSPA	58	17	28	7	16.5	330	150–200

Sliding Gate Wheel with Bolt

Double Bearings · U Groove






DIMENSION DRAWING

Model	D Wheel dia.	A	C	E Bolt	d Rod size	Load
SIE2UL70	68	25	31	M10 × 55	20.5	250
SIE2U80	78	25	30	M10 × 55	20.5	300
SIE2U100	98	25	30	M14 × 70	20.5	450

Solid Steel U Groove Wheel with Box

Italian Design





DIMENSION DRAWING

WHEEL

Model	D Wheel dia.	A	M×L	Weight g
SIE2U78	78	40	20 × 25	1000
SIE2U98	98	40	20 × 25	1000


WHEEL BOX

Model	L	H	A	S	Weight g
SIEH2U78	109	69	56	3.5	740
SIEH2U78	129	79	56	3.5	740

Solid Steel U Groove Wheel with Box

Italian Design





DIMENSION DRAWING

WHEEL


Model	D Wheel dia.	A	M×L	Weight g
SIEHL2U147 R12.5	147	43.5	5/8-11 × 90	5633
SIEHL2U147 R15	147	43.5	5/8-11 × 90	5620

WHEEL BOX

Model	L	H	A	S	Weight g
SIEH-HZ02	170	102	59	4	1336

Solid Steel V Groove Wheel with Box





DIMENSION DRAWING

WHEEL


Model	D Wheel dia.	A	M×L	Weight g
SIE2Y102	98	40	½ 13 × 95	16300

WHEEL BOX

Model	L	H	A	S	Weight g
SIEHZ01	121	78	62	3.5	1100

Industrial Sliding Gate Wheel






DIMENSION DRAWING

Model	D Wheel dia.	C1	C	L	L1	d	A	B	S	Weight g
SIEL05A	118	28	50	285	165	20	200	70	10	7500
SIEL05B	118	28	50	285	165	25	200	70	10	7400

Sliding Gate Track
U Groove







DIMENSION DRAWING

Model	L	H	S	A×B	L1	R	Weight/m g/m
SIEHGR8	55	15	3	11 × 6	300	8	1577
SIEHGR10	55	15	3.5	11 × 6	300	10	1633

Sliding Gate Track
V Groove





DIMENSION DRAWING

Model	L	H	S	A×B	L1	Weight/m g/m
SIEHGV	58	15	3	11 × 6	300	1593


Side Sliding Gate Curve Track



Model	L	H	S	W	L1	R	Weight/m g/m
SIECRV	1000	10	3	11 × 6	300	8	1577

Rotational Wheel






DIMENSION DRAWING

Model	D Wheel dia.	C	A	L	S	H	D1	H1	Load kg	Weight g
SIEF2UW60	58	31	45	48	4	97	47	30.5	200	933.8
SIEF2UW80	78	31	45	80	4	115	47	30.5	350	1484

Rotational Wheel






DIMENSION DRAWING

Model	D Wheel dia.	C	B	A	L	S	D	H	Load kg
SIEF2U60AW	58	31	65	40	100	5	20	85	200

Rotational Wheel






DIMENSION DRAWING

Model	D Wheel dia.	C	B	A	L	S	D	H	Load kg
SIEF2U80AW	78	31	83	40	130	5	20	102	300

Rotational Wheel






DIMENSION DRAWING

Model	A	B	L	D	C	S	H	R	Weight g	Load kg
SIEW2U80	58	31	65	40	100	5	20	85	1316	350

Rotational Wheel






DIMENSION DRAWING

Model	D Wheel dia.	C	B	A	L	S	H	D1	Load kg	Weight g
SIEF2U60XWR10	58	31	65	40	100	5	85	51	200	918

Stainless Steel Rotational Wheel


U Groove




Model	D Wheel dia.	A	B	H	d Rod size	Load kg
SIEBAL48U-R8	48	40.5	18	91	16	150
SIEBAL58U-R11	58	42	19	109	20.1	250
SIEBAL68U-R11	68	42	19	117	20.1	410

Stainless Steel Rotational Wheel

U / H / V Groove






DIMENSION DRAWING

Model	D Wheel dia.	A	B	H	d Rod size	Load kg
SIEBAL58H/V	58	41.5	25	126	20	150

▸ Available in U, H and V groove for 20 mm rod.

Self Balancing Gate Wheel


Stainless Steel



Model	D Wheel dia.	L	L1	A	C	H	R	Load kg
SIEKBAL-DW	68	160	125	22	35	90	10.5	1000

Upper Gate Hinge with L Shape Fixing Plate






DIMENSION DRAWING

Model	D	H	A	C	L	S	Weight g
SIEL14A	50	36	50	70	83	8	750
SIEL14B	70	46	60	80	103	10	1500

Bottom Gate Hinge with L Shape Fixing Plate






DIMENSION DRAWING

Model	D	H	A	C	L	S	Weight g
SIEL13A	50	39	50	70	83	8	843
SIEL13B	70	46	60	80	103	10	1750

Upper Gate Hinge with L Shape Fixing Plate






DIMENSION DRAWING

Model	D	H	A	C	L	S	Weight g
SIEL11D	120	45	100	–	250	14	5301

Bottom Gate Hinge with L Shape Fixing Plate






DIMENSION DRAWING

Model	D	H	A	C	L	S	Weight g
SIEL12D	120	34	–	–	–	–	3612

Adjustable Gate Hinge with Square Plate






DIMENSION DRAWING

Model	M Thread	L	A	B	Weight g
SIEJL03E	M16	40–60	18	36	500
SIEJL03G	M20	44–65	20	43	742

Adjustable Gate Hinge with Square Plate

304 Stainless Steel






DIMENSION DRAWING

Model	M Thread	L	A	B	Weight g
SIEJL03ESS	M16	40–60	18	36	500
SIEJL03GSS	M20	44–65	20	43	742

Adjustable Gate Hinge







DIMENSION DRAWING

Model	M Thread	L	A	C	B	S	S1	S2	Weight g
SIEL84A	M16	80	111.5	34	50	6	3	5	828

Side Welding Hinge with Double Bearing

Carbon Steel & 304






DIMENSION DRAWING

Model	D	H	A	B	C	Weight g
SIEBAL48	48	54	36	18	38	738.6
SIEBAL36	48	36	18	18	38	600

Side Welding Hinge with Double Bearing

Carbon Steel & 304






DIMENSION DRAWING

Model	D	H	C	Weight g
SIEJL89A	54	60	35	738.6
SIEJL89ASS	54	60	35	808.5

Weld-on Pin & Socket with Bearing






DIMENSION DRAWING

Model	D	H	L	S	Weight g
SIEL50A	16	40	92	3	316
SIEL50B	20	56	116	5	761
SIEL50C	27	60	148	6	1531

Side Sliding Gate Hinge

Stainless Steel






DIMENSION DRAWING

Model	D	A	C	H	L	S	Load kg
SIEBAL48ASS	37	25	49	94	37	4	150

Side Sliding / Bi-Fold Gate Hinge

304 Stainless Steel






DIMENSION DRAWING

Model	D	L	H	C	S	B	Weight g
SIEJL88A	37	34.5	105	46	4	30	446.6
SIEJL88ASS	37	34.5	105	46	4	30	503.6

Heavy Duty Folding Door Hinge






DIMENSION DRAWING

Model	D	H	L	A	S	Weight g
SIEDJL01A	20	130	140	50	12	2153

Butt Hinge

Heavy Duty






DIMENSION DRAWING

Model	L	H	C	D	S	Weight g
SIEL52BL	115	99	44	25	5	545

Auto Close Hinge

Stainless Steel






DIMENSION DRAWING

Model	D	H	A	L	S	Weight g
SIEL61ASS	22	180	94	79	1.7	534.8

Nylon Roller
With Bearings






DIMENSION DRAWING

Model	D Roller dia.	H1	M Thread	H	Weight g
SIELZ40*44	40	44	M16	90	268.2
SIELZ50x60	50	60	M20	120	516

Nylon Roller






DIMENSION DRAWING

Model	D Roller dia.	H1	M Thread	H	Weight g
SIENL25*40M12	25	40	M12	75	117
SIENL30*40M12	30	40	M12	75	130
SIENL40*44M16	40	44	M16	95	236
SIENL40*60M16	40	60	M16	104	303
SIENL40*150M18	40	150	M18	195	610
SIENL40*250M18	40	250	M18	300	960

Guide Bracket with Nylon Roller







DIMENSION DRAWING

Model	A	B	L	Weight g
SIEL37A	38	37.5	72	932.5

Guide Bracket with Nylon Roller






DIMENSION DRAWING

Model	D×H1 Roller	A	H	H2	L	L1	S	Weight g
SIEKJ07C	40 × 44	68	65	100	200	45–89	4	1175
SIEKJ07C SS	40 × 44	68	65	100	200	45–89	4	1175

Guide Bracket with Nylon Roller






DIMENSION DRAWING

Model	D×H1 Roller	A	H	H2	L	L1	S	Weight g
SIEKJ08A	30 × 44	68	65	100	115–195	45–89	4	980

Guide Bracket with Nylon Roller






DIMENSION DRAWING

Model	D Roller dia.	H1	A	H	L	L1	S	Weight g
SIEKJ09A	30	40	200	55	164–208	26–70	2.5	1789
SIEKJ09C	40	44	350	68	176–260	19–103	4	5355

Guide Bracket with Nylon Roller






DIMENSION DRAWING

Model	D Roller dia.	H1	A	H2	H	L	L1	S	Weight g
SIEKJ14A	30	40	220	110	70	175	0–90	3	2800
SIEKJ14B	40	44	300	110	70	230	0–120	4	4344

Guide Bracket with Nylon Roller

Stainless Steel






DIMENSION DRAWING

Model	D Roller dia.	H1	A	H2	H	L	L1	S	Weight g
SIEKJ14A SS	30	40	220	110	70	175	0–90	3	2800
SIEKJ14B SS	40	44	300	110	70	230	0–120	4	4344

Guide Bracket with Nylon Roller






DIMENSION DRAWING

Model	D Roller dia.	H	L	L1	A×B	S	Weight g
SIEKJ17A	43	38	310	0–195	100 × 100	4	1185

Adjustable End Stop with 2 Nylon Rollers

304 Stainless Steel






DIMENSION DRAWING

Model	D Roller dia.	H	L	L1	A×B	S	Weight g
SIEKJ17ASS	43	38	310	0–195	100 × 100	4	1185

Adjustable End Stop with 2 Nylon Rollers






DIMENSION DRAWING

Model	A	H	C	S	D	Weight g
SIE04A	55–90	80	95	4	40	800

Adjustable End Stop with 2 Nylon Rollers






DIMENSION DRAWING

Model	H	H1	L	A	S	D	C	B	R	Weight g
SIEMD17A	100	60	200	60	6	35	35	43–63	64–136	1849
SIEMD17B	120	80	245	70	8	40	44	73–103	87–152	2010

End Stop with 2 Adjustable Nylon Rollers






DIMENSION DRAWING

Model	A	H	D	H1	L	B	Weight g
SIE05A	55–90	80	40	130	120	100	2850

Gate Stopper with Base Plate






DIMENSION DRAWING

Model	H	A×B	S	Weight g
SIEMX04A	95	100 × 80	8	540
SIEMX04B	110	130 × 100	8	930

Gate Stopper with Base Plate






DIMENSION DRAWING

Model	A	B	S	H	L	D	Weight g
SIEMX16A	120	100	6	84.5	112–132	45	1583.6

Gate Stopper with Base Plate






DIMENSION DRAWING

Model	A	B	S	H	C	D	Weight g
SIEMX15A	95	105	5	130	46–93	45	1065.6

Adjustable Cantilever Gate Carriage
8 Wheels






DIMENSION DRAWING

Model	D	C	C1	S	H	H1	Weight g
SIE8SSJ	48	51	12.5	10	155–175	51.5	5200
SIE8MSJ	68	75	15	10	190–210	74	10008

Adjustable Cantilever Gate Carriage
16 Wheels






DIMENSION DRAWING

Model	D	C	C1	S	A×B	H	Weight g
SIEXL16M	68	72	15	12	400 × 150	166	24000

Adjustable Cantilever Gate Carriage
8 Wheels






DIMENSION DRAWING

Model	D	C	C1	S	A×B	H	Weight g
BAXL8G	113	103	30	12	470 × 200	260	36500

Middle Eight-Wheel Cantilever Gate Wheel
With Gear







DIMENSION DRAWING

Model	D	C1	C	E	L	H	A	B	S	Weight g
SIEXL8MB	68	15	72	74	358	194	300	150	10	5200

Middle Eight-Wheel Cantilever Gate Wheel

Without Gear






DIMENSION DRAWING

Model	D	C1	C	E	L	H	A	B	S	Weight g
SIEXL8MC	68	15	72	74	358	194	300	150	10	5200

Cantilever Gate Track

For Small, Medium & Large Wheels







DIMENSION DRAWING

Model	L	H	A	B	S	Weight/m g/m
SIEXG8S	70	59	22	50	3.5	5700
SIEXG8M	94	85	33	71	5	11300
SIEXG8G	136	142	38	104	6	22000

Cantilever Gate Track with Gear Rack

For 8 Medium Wheels






DIMENSION DRAWING

Model	Track	L	H	S	Gear rack	A	B	C Length	Weight/m kg/m
SIEXG8MA	BAXG8M	94	85	5	CT01F	22	22	1 m / 2 m	14.4

Cantilever End Stop

For Small, Medium & Large Wheels






DIMENSION DRAWING

Model	A	A1	B	C	S	Weight g
SIEMD5S8S	130	80	82	74	4	1005
SIEMD8M	168	106	100	79	4	1530
SIEMD5G8G	222	154	145	83	4	2046

Cantilever Track End Cap

For Small, Medium & Large Wheels






DIMENSION DRAWING

Model	A	H	B	L	S	Weight g
SIEHG8S	70	60	45	40	3	206
SIEHG8M	94	83	55	40	3	304
SIEHG8G	139	142	95	86	3	1005

Transmission






DIMENSION DRAWING

Model	A	H	B	L	S	Weight g
SIEBAHG8M	139	142	95	86	3	1005

Cantilever Guide Wheel

For Small, Medium & Large Wheels






DIMENSION DRAWING

Model	D	C	B	A×H	L	S	Weight g
SIEDL8S	68	15	51	70 × 60	140	3	990
SIEDL8M	74	15	72	94 × 85	140	3	1300
SIEDL8G	98	30	103	139 × 142	195	4	4000

Cantilever Guide Wheel







DIMENSION DRAWING

Model	D Wheel dia.	C	B	L	S	Weight g
SIEDL01A	75	22	60	120	3	1230

Cantilever Tie Rod







DIMENSION DRAWING

Model	L	M Thread	A	C	D	B	Weight g
SIEGDJ21A	260	M10	12	30/100	35	40	759.8
SIEGDJ21B	300	M18	19	40/120	54	55	2415

Steel Gear Rack

Sliding Gate · Module 4






DIMENSION DRAWING

Model	Module	A	H	L	Weight/m g/m
SIET01C	M4	10	30	1 m	2170
SIET01E	M4	12	30	1 m	2550

Nylon Gear Rack

Module 4 · With Lugs






DIMENSION DRAWING

Model	Module	Lugs	H	L	Weight/m g/m
SIECT03A	M4	2 Lugs	26	1 m	299

Hanging Door Roller
2 Rollers · Forged Centre Plate






DIMENSION DRAWING

Model	D Wheel dia.	C Wheel c/c	C1 Wheel width	M Thread	H Overall height	Weight g
SIEGL02A	25	20	6.5	M8	73	79.4
SGL02APP	25	20	6.5	M8	73	60.8

Hanging Door Roller
2 Rollers · Forged Centre Plate







DIMENSION DRAWING

Model	D Wheel dia.	C Wheel c/c	C1 Wheel width	M Thread	H Overall height	Weight g
SIEGL02B	38	29	9	M12	120.5	256.2
SIEGL02BPP	38	29	9.5	M12	120.5	201.8

Hanging Door Roller
2 Rollers · Forged Centre Plate






DIMENSION DRAWING

Model	D Wheel dia.	C Wheel c/c	C1 Wheel width	M Thread	H1	H Overall height	Weight g
SIEGL02B-R	38	32	9	M12	80	152	370

Hanging Door Roller
2 Rollers · Forged Centre Plate






DIMENSION DRAWING

Model	D Wheel dia.	C Wheel c/c	C1 Wheel width	M Thread	H Overall height	Weight g
SIEGL02C	55	34	11	M20	167	780.2
SIEGL02CPP	55	34	11	M20	167	632.4

Hanging Door Roller
4 Rollers · Forged Centre Plate






DIMENSION DRAWING

Model	D Wheel dia.	C Wheel c/c	C1 Wheel width	M Thread	H Overall height	A×B Plate size	Weight g
SIEGL04A	25	20	6.5	M8	73	94 × 23	204

Hanging Door Roller
4 Rollers · With Bolt






DIMENSION DRAWING

Model	D Wheel dia.	C Wheel c/c	C1 Wheel width	M Thread	H Overall height	L	Weight g
SIEGL04A-R	25	20	6.5	M8	91	30	185

Hanging Door Roller
4 Rollers · Forged Centre Plate






DIMENSION DRAWING

Model	D Wheel dia.	C Wheel c/c	C1 Wheel width	H Overall height	M Thread	A×B Plate size	Weight g
SIEGL04B	38	29	9	124	M12	120 × 31	557.2
SIEGL04B PP	38	29	9	124	M12	120 × 31	442

Hanging Door Roller
4 Rollers · Forged Centre Plate






DIMENSION DRAWING

Model	D Wheel dia.	C Wheel c/c	C1 Wheel width	H Overall height	M Thread	A×B Plate size	Weight g
SIEGL04C	55	34	11	167	M20	140 × 45	1567.8

Hanging Door Roller
4 Rollers · Forged Centre Plate






DIMENSION DRAWING

Model	D Wheel dia.	C Wheel c/c	C1 Wheel width	H Overall height	M Thread	A×B Plate size	Weight g
SIEGL04CPP	55	34	11	167	M20	140 × 45	1519

Hanging Door Roller
2 Rollers · Nylon






DIMENSION DRAWING

Model	D Wheel dia.	C1	C	H	M Thread	Weight g
SIEGL23A	44	10	41	87.5	M10	370
SIEGL23BN	42	10	41	87.5	M10	231

Hanging Door Roller
4 Rollers · Nylon






DIMENSION DRAWING

Model	D Wheel dia.	C1	C	L	H	M Thread	Weight g
SIEGL22A	44	10	41	107.5	86.5	M10	737
SIEGL22BN	42	10	41	107.5	86.5	M10	467

T-Bearing Hanging Door Roller
2 Rollers






DIMENSION DRAWING

Model	D Wheel dia.	C1	C	H	M Thread	Weight g
SIETB62	62	16	90	195	M25	550

Internal Slide Gate Track Trolley

6 Wheels






DIMENSION DRAWING

Model	D Wheel dia.	C	C1	D1	M Thread	H	H1	L	Weight g
SIEGL18A	52	45	13	53	M16	125	72	238	2300

Sliding & Folding Door Carriage

One Central Hole Block






DIMENSION DRAWING

Model	D Wheel dia.	C	C1	d	L	H	Weight g
SIEDGL02A	48	52.5	12.5	16.5	102	25	922
SIEDGL02B	68	72	15	20.5	143	35	2393

Hanging Door Roller Rail

C-Channel Track






DIMENSION DRAWING

Model	A Outer width	H Outer height	C Slot opening	S Thickness	Weight g
SIEGG01A	35	32	20	1.5	1790
SIEGG01B	50	46	29	2	2640
SIEGG01C	60	67	34	2	3550

Rail Joint Support Bracket






DIMENSION DRAWING

Model	L	A	H	C	S	Weight g
SIEGTJ01A	159	46	45	20	4	760
SIEGTJ01B	159	59	61	29	4	1065
SIEGTJ01C	159	71	79	34	4	1367

Rail Fixing Bracket

Wall & Ceiling Fixing





DIMENSION DRAWING


WALL FIXING


Model	L	L1	H1	C	A×H	S	Weight g
SIETJ05A	60	60	50	20	46 × 50	4	470
SIETJ05B	70	60	50	29	62 × 64	4	600
SIETJ05C	80	60	50	34	72 × 85	4	730

CEILING FIXING

Model	L	L1	C	A×H	S	Weight g
SIETJ15A	110	60	20	46 × 50	4	470
SIETJ15B	120	60	29	62 × 24	4	589
SIETJ15C	130	60	34	72 × 85	4	710

Rail End Cap






DIMENSION DRAWING

Model	A	H	B	L	S	Weight g
SIEHG03A	35	23	20	25	2	50
SIEHG03B	50	46	30	25	2	76
SIEHG03C	60	67	34	40	3	183

2-Leaf Telescopic Gate Hardware Kit
Lite · Model BAGN2LTLS

Leaves	**2**
Gate length	**Under 5 m**
Weight capacity	**450 kg**
Wire rope	**4 mm**


Premium 2-leaf telescopic gate hardware set with high-quality wheels with clamps, a durable 4 mm wire rope and secure fixing clamps for smooth, reliable operation.



3-Leaf Telescopic Gate Hardware Kit
Lite · Model BAGN3LTLS

Leaves	**3**
Gate length	**Up to 9 m**
Weight capacity	**400 kg**

Premium 3-leaf telescopic gate hardware set with high-quality wheels with clamps, a durable wire rope and secure fixing clamps for smooth, reliable operation.



2-Leaf Telescopic Gate Hardware Kit
Heavy · Model BAJN2LTLS

Leaves	**2**
Gate length options	**5 m · 6 m**
Weight capacity	**Up to 900 kg total gate weight**
Wire rope	**6 mm**

KIT INCLUDES

- Wheels with clamps
- Wire rope
- Wire rope cover
- Wire rope tightener
- Fixed clamps
- Slave leaf clamps
- Guide plate
- Nylon roller
- Master & slave leaf holder channels and rollers



3-Leaf Telescopic Gate Hardware Kit
Heavy · Model BAJN3LTLS

Leaves	**3**
Gate length options	**5 m · 6 m**
Weight capacity	**Up to 900 kg total gate weight**
Wire rope	**6 mm**

KIT INCLUDES

- Wheels with clamps
- Wire rope
- Wire rope cover
- Wire rope tightener
- Fixed clamps
- Slave leaf clamps
- Guide plate
- Nylon roller
- Master & slave leaf holder channels and rollers



Trackless Bi-Fold Gate Hardware — BATKLS-JNK

Leaf width **1 – 1.5 m per leaf**
Type **Trackless bi-fold**

Made of high-grade materials for smooth operation.



KIT INCLUDES

- Support hinges with adjustment rod
- Rod cover
- Master / slave gate clamps

Cantilever Lite Kit — 400–450 kg

KIT INCLUDES

BA8SSJ	Wheel	2 nos
BAXG8S	Track, 3 m	2 nos
BAMD58S	Stopper	2 nos
BADL8S	Track guide	1 no
BAHG8S	Track cover	1 no
BAKJ14A	Guide track	1 no
BAGDJ21A	Tie rod	1 no

Component specifications: pages 17–20 (Cantilever Gate System) and 13–16 (guide tracks).

Cantilever Medium 8-Wheel Kit — 500–600 kg

KIT INCLUDES

BA8MSJ	Wheel	2 nos
BAXG8M	Track, 3 m	2 nos
BAMD58M	Stopper	2 nos
BADL8M	Track guide	1 no
BAHG8M	Track cover	1 no
BAKJ14B	Guide track	1 no
BAGDJ21B	Tie rod	1 no

Component specifications: pages 17–20 (Cantilever Gate System) and 13–16 (guide tracks).

Cantilever Medium 16-Wheel Kit — 700–800 kg

KIT INCLUDES

BAXL16M	Wheel	2 nos
BAXG8M	Track, 3 m	2 nos
BAMD58M	Stopper	2 nos
BADL8M	Track guide	1 no
BAHG8M	Track cover	1 no
BAKJ09C	Guide track	1 no
BAGDJ21B	Tie rod	1 no

Component specifications: pages 17–20 (Cantilever Gate System) and 13–16 (guide tracks).

Cantilever In-Built Kit — 500–600 kg

KIT INCLUDES

BAXL8MB	Wheel	1 no
BAXL8MC	Wheel	1 no
BAXG8MA	Track, 3 m	2 nos
BAMD58M	Stopper	2 nos
BADL01A	Track guide	1 no
BAHG8M	Track cover	1 no
BAKJ14B	Guide track	1 no
BAGDJ21B	Tie rod	1 no

Component specifications: pages 17–20 (Cantilever Gate System) and 13–16 (guide tracks).

Cantilever Medium Kit — 1000 kg

KIT INCLUDES

BAXL8G	Wheel	2 nos
BAXG8G	Track, 3 m	2 nos
BAMD5G8G	Stopper	2 nos
BADL8G	Track guide	1 no
BAHG8G	Track cover	1 no
BAKJ09C	Guide track	1 no
BAGDJ21B	Tie rod	1 no

Component specifications: pages 17–20 (Cantilever Gate System) and 13–16 (guide tracks).

Model Number Index

BAGN2LTLS	26
BAGN3LTLS	26
BAJN2LTLS	26
BAJN3LTLS	26
BATKLS-JNK	27
BAXL8G	17
SGL02APP	21
SIE04A	15
SIE05A	16
SIE1U60	3
SIE1U70	3
SIE1U80	3
SIE2U100	3, 5
SIE2U100R10SS	4
SIE2U40	3
SIE2U50	3
SIE2U60	3
SIE2U70	3
SIE2U78	5
SIE2U80	3, 5
SIE2U80 R10	4
SIE2U80 R10SS	4
SIE2U80R10	3
SIE2U80R10SS	3
SIE2U80SS	4
SIE2U90	3
SIE2U90 R10SS	4
SIE2U90SS	4
SIE2U98	5
SIE2UL70	5
SIE2V80	3
SIE2Y102	5
SIE8MSJ	17
SIE8SSJ	17
SIEBAHG8M	19
SIEBAL36	10
SIEBAL48	10
SIEBAL48ASS	11
SIEBAL48U-R8	8
SIEBAL58H/V	8
SIEBAL58U-R11	8
SIEBAL68U-R11	8
SIECRV	6
SIECT03A	20
SIED1U80R10SSPA	4
SIEDGL02A	24
SIEDGL02B	24
SIEDJL01A	12
SIEDL01A	19
SIEDL8G	19
SIEDL8M	19
SIEDL8S	19
SIEF2U60AW	7
SIEF2U60XWR10	8
SIEF2U80AW	7
SIEF2UW60	7
SIEF2UW80	7
SIEGDJ21A	20
SIEGDJ21B	20
SIEGG01A	24
SIEGG01B	24
SIEGG01C	24
SIEGL02A	21
SIEGL02B	21
SIEGL02B-R	21
SIEGL02BPP	21
SIEGL02C	21
SIEGL02CPP	21
SIEGL04A	22
SIEGL04A-R	22
SIEGL04B	22
SIEGL04B PP	22
SIEGL04C	22
SIEGL04CPP	23
SIEGL18A	24
SIEGL22A	23
SIEGL22BN	23
SIEGL23A	23
SIEGL23BN	23
SIEGTJ01A	24
SIEGTJ01B	24
SIEGTJ01C	24
SIEH-HZ02	5
SIEH2U78	5
SIEHG03A	25
SIEHG03B	25
SIEHG03C	25
SIEHG8G	19
SIEHG8M	19
SIEHG8S	19
SIEHGR10	6
SIEHGR8	6
SIEHGV	6
SIEHL2U147 R12.5	5
SIEHL2U147 R15	5
SIEHZ01	5
SIEJL03E	10
SIEJL03ESS	10
SIEJL03G	10
SIEJL03GSS	10
SIEJL88A	11
SIEJL88ASS	11
SIEJL89A	11
SIEJL89ASS	11
SIEKBAL-DW	8
SIEKJ07C	13
SIEKJ07C SS	13
SIEKJ08A	14
SIEKJ09A	14
SIEKJ09C	14
SIEKJ14A	14
SIEKJ14A SS	14
SIEKJ14B	14
SIEKJ14B SS	14
SIEKJ17A	15
SIEKJ17ASS	15
SIEL05A	6
SIEL05B	6
SIEL11D	9
SIEL12D	9
SIEL13A	9
SIEL13B	9
SIEL14A	9
SIEL14B	9
SIEL37A	13
SIEL50A	11
SIEL50B	11
SIEL50C	11
SIEL52BL	12
SIEL61ASS	12
SIEL84A	10
SIELZ40*44	13
SIELZ50x60	13
SIEMD17A	15
SIEMD17B	15
SIEMD5G8G	18
SIEMD5S8S	18
SIEMD8M	18
SIEMX04A	16
SIEMX04B	16
SIEMX15A	16
SIEMX16A	16
SIENL25*40M12	13
SIENL30*40M12	13
SIENL40*150M18	13
SIENL40*250M18	13
SIENL40*44M16	13
SIENL40*60M16	13
SIES1U80R8SSPA	4
SIES2U100	4
SIET01C	20
SIET01E	20
SIETB62	23
SIETJ05A	25
SIETJ05B	25
SIETJ05C	25
SIETJ15A	25
SIETJ15B	25
SIETJ15C	25
SIEW2U80	7
SIEXG8G	18
SIEXG8M	18
SIEXG8MA	18
SIEXG8S	18
SIEXL16M	17
SIEXL8MB	17
SIEXL8MC	18